LEXRON Provides Safe and Efficient LFP Battery Solutions.

LXR 51.2 series designed for different types of applications, such as small UPS, home energy storage, portable mobile powersupply, which is the best choice of small capacity, long standby or cyclic use.

Features

- · Bluetooth access to show functions like
- Lithium iron Phosphate Battery(LiFePO4)
- Eco friendly
- Special protection plate
- Multiple safety protection
- Intelligent balancing function
- 20 Years Designed service life

Mechanical Specifications

Case Material ABS

Cell Type-Chemistry Prismatic LiFePO4

Terminal Type M6

IP Grade IP43

BMS Characteristics

Recommended Charge Current 100A

Maximum Charge Current 100A

Maximum Continuous Discharge Current 100A

Recommended Charge Voltage 55.5~57.6V

Max Charge Voltage 58.4V

Overcharge Protection Voltage 58.8~59.9V

Charge Mode CC/CV

Discharge Cut-off Voltage 43.2V

Basic Performance

Nominal Voltage 51.2V

Nominal Capacity 100Ah(0.5C@25°C)

Standard Discharge Time 100A@60min

Capacity 5.12KWh

IR $\leq 10 \text{m}\Omega$

Self Discharge <=2%/Month

Cells Square 100Ah

Cycle Life 6000 times(%80DOD)

Size (mm) 442*420*130

Weight (kg) 42kg



Charge Performance

Rated Charge Current 100A

Maximum Charge Current 100A

Rated Charge Voltage 55.5~57.6V

Charge Cut-off Voltage > 58.4V(0.5~1.5S)

Reconnect Voltage < 58.4V

Balancing Voltage > 54V

System Series NO

Discharge Performance

Rated Discharge Current 50A

Rated Discharge Cut-off Voltage 43.2V

Minimum Discharge Cut-off Voltage >40V

Reconnect Voltage >38.5V

Short Circuit Protection 200~600 µs

Short Circuit Current Approx. 2000A

Temperature Performance

Discharge Temperature -20~65°C

Charge Temperature -5~60°C

Storage Temperature -5~60°C

High Temperature Cut-off 65°C


Reconnect Temperature 45°C

Compliance

Certifications CE/UN38.3/UL1973/IEC62619


Transport Appraisal UN3480,CLASS 9


Size







Characteristics Curve









Cautions

- 1. Do NOT short circuit, crush or disassemble.
- 2. Do NOT heat or incinerate.
- 3. Do NOT immerse in any liquid.
- 4. Store at 50% capacity. Recharge every 3 months. The storage area should be clean, cool, dry and ventilated.
- 5. Disconnect charging source prior to connecting or disconnecting battery terminals.
- 6. Do not dispose of batteries in a fire as they can explode.
- 7. Do not open, alter, or mutilate batteries. Released electrolyte is harmful to skin and eyes. It may be toxic.
- 8. Do not mix different types and brands of lithium—ion batteries.
- 9. Do not dispose in trash, follow local regulations and manufacturer's instruction.
- 10. See installation instructions before connecting to the supply.
- 11. The battery cabinet receives power from more than one source. Disconnection of all DC sources is required to De-energize this unit before installing or servicing. Wait 5 minutes before opening the unit.
- 12. Do not install on or over combustible surfaces.
- 13. Refer to manual before servicing.
- 14. Do not touch bare terminals.





ACS ENERJI

ITOB OSB Mah. Ekrem Demirtas Cad. No: 44 Menderes - IZMIR